Parasite Immunology 1985, **8**, 669–673

Author index to Volume 8

ABRAHAMSOHN I.A., *see* BLOTTA M.H.S. *et al.*
AGNEW A.M., *see* DUNNE D.W. *et al.*
ALEY S.B., *see* HOWARD R.J. *et al.*
ALKAN S., *see* JONES T.C. *et al.*
ALMOND N.M. & PARKHOUSE R.M.E. Immunoglobulin class specific responses to biochemically active defined antigens of *Trichinella spiralis* 391
AL-TAQUI M., *see* JAROSKOVA L. *et al.*
ANDERS R.F. Point of view: Multiple cross-reactivities amongst antigens of *Plasmodium falciparum* impair the development of protective immunity against malaria 529
ANDREWS B.J., *see* BICKLE Q.D. *et al.*
ANTIA N.H., *see* MISTRY N.F. *et al.*

BARRANCE D.J. & HUDSON K.M. Brief communication: Immune responses of mice infected with *Trypanosoma vivax* are depressed but show an inverse correlation with the blood parasitaemia 287
BASCH P.F., *see* PEARCE E.J. *et al.*
BEHNKE J.M., *see* GRENCIS R.K. *et al.*
BEHNKE J.M., *see* PRITCHARD D.I. *et al.*
BICKLE Q.D., ANDREWS B.J. & TAYLOR M.G. *Schistosoma mansoni*: characterization of two protective monoclonal antibodies 95
BIRCH D.W., *see* FLETCHER C. *et al.*
BIRDI T.J., *see* MISTRY N.F. *et al.*
BLACK S.J., *see* NEWSON J. *et al.*
BLACK S.J., SENDASHONGA C.N., WEBSTER P., KOCH G.L.E. & SHAPIRO S.Z. Regulation of parasite-specific antibody responses in resistant (C57BL/6) and susceptible (C3H/HE) mice infected with *Trypanosoma (trypanozoon) brucei brucei* 425
BLACK S.J., *see* SENDASHONGA C.N. & BLACK S.J.
BLOTTA M.H.S.L., CUROTTO M.A. & ABRAHAMSOHN A. Specific suppression of delayed hypersensitivity expression to *Trypanosoma cruzi* in mice 651
BOID R., *see* HILL H.S. *et al*
BROWN C.G.D., *see* SHIELS B.R. *et al.*
BROWN W.C. & LOGAN K.S. Brief communication: Bovine T-cell clones infected with *Theileria parva* produce a factor with IL 2-like activity 189
BROWN K.N., *see* JARRA W. *et al.*
BROWN C.G.D., *see* PRESTON P.M. *et al.*
BROWN J., GREENWOOD B.M. & TERRY R.J. Cellular mechanisms involved in recovery from acute malaria in Gambian children 551
BUTTERWORTH A.E., *see* KEE K.C. *et al.*

CAPRON A., *see* SANTORO F. *et al.*
CARR A., *see* PRITCHARD D.I. *et al.*
CARTER R., *see* MUNESINGHE Y.D. *et al.*
CHARIF H., *see* SANTORO F. *et al.*
CLARK N.W.T., *see* ORTEGA-PIERRES G. *et al.*
COLLEY D.G., *see* VIEIRA L.Q. *et al.*
CORDINGLEY J.S., *see* KEE K.C. *et al.*
CRABTREE J.E. & WILSON R.A. The role of pulmonary cellular reactions in the resistance of vaccinated mice to *Schistosoma mansoni* 265
CRAIG P.S. Detection of specific circulating antigen, immune complexes and antibodies in human hydatidosis from Turkana (Kenya) and Great Britain, by enzyme-immunoassay 171
CRANE M.ST.J., NORMAN D.J., GNOZZIO M.J., TATE A.C., GAMMON M. & MURRAY P.K. *Eimeria tenella*: quantitative *in vitro* and *in vivo* studies on the effects of mouse polyclonal and monoclonal antibodies on sporozoites 467
CRAWFORD C., *see* GRENCIS R.K. *et al.*
CUROTTO M.A., *see* BLOTTA M.S.L. *et al.*

DE BAETSELIER P., *see* SILEGHEM M. *et al.*

DENHAM D.A., *see* FLETCHER C. *et al.*
DE SOUZA C.P.S., *see* VIEIRA L.Q. *et al.*
DE SOUZA J.B., *see* PLAYFAIR J.H.L. & DE SOUZA J.B.
DILLON S.B. & MACDONALD T.T. Limit dilution analysis of mast cell precursor frequency in the gut epithelium of normal and *Trichinella spiralis* infected mice 503
DOENHOFF M.J., *see* DUNNE D.W. *et al.*
DONACHIE A.M., *see* WAKELIN D. *et al.*
DUNNE D.W., AGNEW A.M., MODHA J. & DOENHOFF M.J. *Schistosoma mansoni* egg antigens: preparation of rabbit antisera with monospecific immunoprecipitating activity, and their use in antigen characterization 575
DWINGER R.H., LUCKINS A.G., MURRAY M., RAY P. & MOLOO S.K. Interference between different serodemes of *Trypanosoma congolense* in the establishment of superinfection in goats following transmission by tsetse 293

ERB P., *see* JONES T.C. *et al.*

FERRANTE A. The role of the macrophage in immunity to *Trypanosoma musculi* 117
FLAVELL D.J. & FLAVELL S.U. *Opisthorchis viverrini*: pathogenesis of infection in immunodeprived hamsters 455
FLAVELL S.U., *see* FLAVELL D.J. & FLAVELL S.U.
FLETCHER C., BIRCH D.W., SAMAD R. & DENHAM D.A. *Brugia pahangi* infections in cats: antibody responses which correlate with the change from the microfilaraemic to the amicrofilaraemic state 345
FOX E., *see* KELLY C. *et al.*

GAMMON M., *see* CRANE M.ST.J. *et al.*
GAZZINELLI G., *see* VIEIRA L.Q. *et al.*
GHADIRIAN E. & KONGSHAVN P. A.L. Protection of mice against intestinal amoebiasis with BCG, *Corynebacterium parvum* and *Listeria monocytogenes* 663
GIANNINI M.S.H. Sex-influenced response in the pathogenesis of cutaneous leishmaniasis in mice 31
GIBBENS J.C., HARRISON L.J.S. & PARKHOUSE R.M.E. Immunoglobulin class responses to *Taenia taeniaeformis* in susceptible and resistant mice 491
GNOZZIO M.J., *see* CRANE M.ST.J. *et al.*
GREENWOOD B.M., *see* BROWN J. *et al.*
GRENCIS R.K., *see* WAKELIN D. *et al.*
GRENCIS R.K., CRAWFORD C., PRITCHARD D.I., BEHNKE J.M. & WAKELIN D. Immunization of mice with surface antigens from the muscle larvae of *Trichinella spiralis* 587

HAMERS R., *see* SILEGHEM M. *et al.*
HANDMAN E., *see* MITCHELL G.F. & HANDMAN E.
HARRISON L.J.S. & PARKHOUSE R.M.E. Passive protection against *Taenia saginata* infection in cattle by a mouse monoclonal antibody reactive with the surface of the invasive oncosphere 319
HARRISON L.J.S., *see* GIBBENS J.C. *et al.*
HILL H.S., BOID R. & ROSS C.A. Isolation and characterization of salivary antigens from *Hyalomma anatolicum anatolicum* 11
HILLS L.A., *see* JARRA W. *et al.*
HOLT P.G., *see* YEN P.K.F. *et al.*
HOWARD R.J., PANTON L.J., MARSH K., LING I.T., WINCHELL E.J. & WILSON R.J.M. Antigenic diversity and size diversity of *Plasmodium falciparum* antigens in isolates from Gambian parents. I. S-antigens 39
HOWARD R.J., MCBRIDE J.S., ALEY S.B. & MARSH K. Antigenic diversity and size diversity of *P. falciparum* antigens in isolates from Gambian patients. II. The schizont surface glycoprotein of molecular weight ~200 000 56
HUDSON K.M., *see* BARRANCE D.J. & HUDSON K.M.

INFANTE B., *see* LYNCH N.R. *et al.*

JAMES S.L., *see* PEARCE E.J. & JAMES S.L.
JAROSKOVA L., SELIM M.M., VLASIN Z. & AL-TAQUI M. Study of T cell subsets in patients with cutaneous leishmaniasis 381
JARRA W., HILLS L.A., MARSH J.C. & BROWN K.N. Protective immunity to malaria. Studies with cloned lines of *Plasmodium*

chabaudi chabaudi and *P. berghei* in CBA/Ca mice. II. The effectiveness and inter- or intra-species specificity of the passive transfer of immunity with serum 239

JENKINS T., *see* PRESTON C.M. *et al.*

JONES T.C., ALKAN S. & ERB P. Spleen and lymph node cell populations, *In vitro* cell proliferation and interferon-γ production during the primary immune response to *Toxoplasma gondii* 619

KEE K.C., TAYLOR D.W., CORDINGLEY J.S., BUTTERWORTH A.E. & MUNRO A.J. Genetic influence on the antibody response to antigens of *Schistosoma mansoni* in chronically infected mice 565

KELLY C., SIMPSON A.J.G., FOX E., PHILLIPS S.M. & SMITHERS S.R. The identification of *Schistosoma mansoni* surface antigens recognized by protective monoclonal antibodies 193

KHARAZMI A., *see* NIELSEN H. *et al.*

KOCH G.L.E., *see* BLACK S.J. *et al.*

KONGSHAVN P.A.L., *see* GHADIRIAN E. & KONGSHAVN P.A.L.

KUSEL J.R., *see* VIEIRA L.Q. *et al.*

LING I.J., *see* HOWARD R.J. *et al.*

LOGAN K.S., *see* BROWN W.C. & LOGAN K.S.

LUCKINS A.G., *see* DWINGER R.H. *et al.*

LYNCH N.R., MALAVÉ C., TURNER K.J. & INFANTE B. IgE antibody against surface antigens of *Leishmania* promastigotes in American cutaneous leishmaniasis 109

MACDONALD T.T., *see* DILLON S.B. & MACDONALD T.T.

MALAVÉ C., *see* LYNCH N.R. *et al.*

MALU M.N. & TABEL H. The alternative pathway of complement in sheep during the cours of infection with *Trypanosoma congolense* and after Berenil treatment 217

MARSH J.C., *see* Jarra W. *et al.*

MARSH K., *see* HOWARD R.J. *et al.*

MCBRIDE J.S., *see* HOWARD R.J. *et al.*

MCDOUGALL C., *see* PRESTON P.M. *et al.*

MCDOUGALL C., *see* SHIELS B.R. *et al.*

MCLAREN D.J. & ROGERS M.V. *Schistosoma mansoni*: liver phase challenge attrition is a stage-dependent phenomenon in guinea-pigs vaccinated with highly irradiated cercariae 307

MCLAREN D.J., *see* PRESTON C.M. *et al.*

MCLEAN S.A., PEARSON C.D. & PHILLIPS R.S. Antigenic variation in *Plasmodium chabaudi*: analysis of parent and variant populations by cloning 415

MENDIS K.N., *see* MUNESINGHE Y.D. *et al.*

MISTRY N.F., BIRDI T.J. & ANTIA N.H. *M. Leprae* phagocytosis and its association with membrane changes in macrophages from leprosy patients 129

MITCHELL L.A., *see* WAKELIN D. *et al.*

MITCHELL G.F. & HANDMAN E. The glycoconjugate derived from a *Leishmania major* receptor for macrophages is a suppressogenic, disease promoting antigen in murine cutaneous leishmaniasis 255

MOCKETT A.P.A. & ROSE M.E. Immune responses to eimeria: quantification of antibody isotypes to *Eimeria tenella* in chicken serum and bile by means of the ELISA 481

MODHA J., *see* DUNNE D.W. *et al.*

MOLOO S.K., *see* DWINGER R.H. *et al.*

MUNESINGHE Y.D., MENDIS K.N. & CARTER R. Anti-gamete antibodies block transmission of human vivax malaria to mosquitoes 231

MURRAY M., *see* CRANE M.ST.J. *et al.*, *see* DWINGER R.H. *et al.*

NAESSENS J., *see* NEWSON J. *et al.*

NEWSON J., NAESSENS J., STAGG D.A. & BLACK S.J. A cell surface antigen associated with *Theileria parva lawrencei*-infected bovine lymphoid cells 149

NIELSEN H., KHARAZMI A. & THEANDER T.G. Suppression of blood monocyte and neutrophil chemotaxis in acute human malaria 541

NORMAN D.J., *see* CRANE M.ST.M. *et al.*

OLIVIER M., TIJSSEN P. & VIENS P. Participation of IgG2b antibodies in the initial control of *Trypanosoma musculi* infection 27

ORTEGA-PIERRES G., CLARK N.W.T. & PARKHOUSE R.M.E. Regional specialization of the surface of a parasitic nematode 613

PANTON L.J., *see* HOWARD R.J. *et al.*
PAPADIMITRIOU J.M., *see* YEN P.K.F. *et al.*
PARKHOUSE R.M.E., *see* HARRISON L.J.S. & PARKHOUSE R.M.E.
PARKHOUSE R.M.E. *see* ALMOND N.M. & PARKHOUSE R.M.E.
PARKHOUSE R.M.E., *see* GIBBENS J.C. *et al.*
PARKHOUSE R.M.E., *see* ORTEGA-PIERRES G. *et al.*
PEARCE E.J., BASCH P.F. & SHER A. Evidence that the reduced surface antigenicity of developing *Schistosoma mansoni* schistosomula is due to antigen shedding rather than a host molecule acquisition 79
PEARCE E.J. & JAMES S.L. Post lung-stage schistosomula of *Schistosoma mansoni* exhibit transient susceptibility to macrophage-mediated cytotoxicity *in vitro* that may relate to late phase killing *in vivo* 513
PEARSON C.D., *see* MCLEAN S.A. *et al.*
PHILLIPS S.M., *see* KELLY C. *et al.*
PHILLIPS R.S., *see* MCLEAN S.A. *et al.*
PLAYFAIR J.H.L. & DE SOUZA J.B. Vaccination of mice against malaria with soluble antigens. I. The effect of detergent, route of injection and adjuvant 409
PRESTON P.M., MCDOUGALL C., WILKIE G., SHIELS B.R., TAIT A. & BROWN C.G.D. Specific lysis of *Theileria annulata*-infected lymphoblastoid cells by a monoclonal antibody recognizing an infection-associated antigen 369
PRESTON C.M., JENKINS T. & MCLAREN D.J. Surface properties of developing stages of *Trichuris muris* 597
PRITCHARD D.I., BEHNKE J.M., CARR A. & WELLS C. The recognition of antigens on the surface of adult and L4 *Necator americanus* by the human and hamster post-infection sera 359
PRITCHARD D.I., *see* GRENCIS R.K. *et al.*

RAY P., *see* DWINGER R.H. *et al.*
ROBERTSON T., *see* YEN P.K.F. *et al.*
ROELANTS G.E. Point of view: Natural resistance to African Trypanosomiasis 1
ROGERS M.V., *see* MCLARENN D.J. & ROGERS M.V.
ROSE M.E., *see* MOCKETT A.P.A. *et al.*
ROSS C.A., *see* HILL H.S. *et al.*

SAMAD R., *see* FLETCHER C. *et al.*
SANTORO F., CHARIF H. & CAPRON A. The immunodominant epitope of the major membrane tachyzoite protein (P30) of *Toxoplasma gondii* 631
SELIM M.M., *see* JAROSKOVA L. *et al.*
SENDASHONGA C.N., *see* BLACK S.J. *et al.*
SENDASHONGA C.N. & BLACK S.J. Analysis of B cell and T cell proliferative responses induced by monomorphic and pleomorphic *Trypanosoma brucei* parasites in mice 443
SHAPIRO S.Z., *see* BLACK S.J. *et al.*
SHER A., *see* PEARCE E.J. *et al.*
SHIELS B.R., MCDOUGALL C., TAIT A. & BROWN C.G.D. Identification of infection-associated antigens in *Theileria annulata* transformed cells 69
SHIELS B.R., *see* PRESTON P.M. *et al.*
SILEGHEM M., HAMERS R. & DE BAETSELTER P. Active suppression of interleukin 2 secretion in mice infected with *Trypanosoma brucei* AnTaT 1.1. E 641
SIMPSON A.J.G., *see* KELLY C. *et al.*
SMITHERS S.R., *see* KELLY C. *et al.*
STAGG D.A., *see* NEWSON H. *et al.*
STANLEY N.F., *see* YEN P.K.F. *et al.*

TABEL H., *see* MALU M.N. & TABEL H.
TAIT A., *see* PRESTON P.M. *et al.*
TAIT A., *see* SHIELS B.R. *et al.*
TATE A.C., *see* CRANE M.ST. J. *et al.*
TAYLOR M.G., *see* BICKLE Q.D. *et al.*
TAYLOR D.W., *see* KEE K.C. *et al.*
TERRY R.J., *see* BROWN J. *et al.*
THEANDER T.G., *see* NIELSEN H. *et al.*
TISSEN P., *see* OLIVIER M. *et al.*
TURNER K.J., *see* LYNCH N.R. *et al.*
TURNER K.J., *see* YEN P.K.F. *et al.*

VIEIREA L.Q., GAZZINELLI G., KUSEL J.R., DE SOUZA C.P.S. & COLLEY D.G. Inhibition of human proliferative responses by released materials from *Schistosoma mansoni* cercariae 333
VIENS P., *see* OLIVIER M. *et al.*
VLASIN Z., *see* JAROSKOVA L. *et al.*

WAKELIN D.E., MITCHELL L.A., DONACHIE A.M. & GRENCIS R.K. Genetic control of immunity to *Trichinella spiralis* in mice.

Response of rapid- and slow-responder strains to immunization with parasite antigens 159

WAKELIN D., *see* GRENCIS R.K. *et al.*

WEBSTER P., *see* BLACK S.J. *et al.*

WELLS C., *see* PRITCHARD D.I. *et al.*

WILKIE G., *see* PRESTON P.M. *et al.*

WILSON R.A., *see* CRABTREE J.E. & WILSON R.A.

WILSON R.J.M., *see* HOWARD R.J. *et al.*

WINCHELL E.J., *see* HOWARD R.J. *et al.*

YEN P.K.F., HOLT P.G., STANLEY N.F. & TURNER K.J. *In vitro* antibody-mediated macrophage activity of *Brelina macropi* microfilarae. I. Adherence and cytotoxicity 139

YEN P.K.F., HOLT P.G., STANLEY N.F., PAPADIMITRIOU J.M. & ROBERTSON T. *In vitro* antibody-mediated macrophage activity on *Breinlia macropi* microfilariae. II. Ultrastructural and video recording investigations of adherence and cytotoxicity 201